


Norma z roku 2005 pre príruby s hladkou tesniacou pre typy Spiratrem 12, Spiratrem 123



DN	$d_1$	$d_2$	$d_3$		$d_4$					
			PN10, PN25, PN40	PN63, PN100, PN160	PN10	PN25	PN40	PN63	PN100	PN160
10	18	24	34	34	46			56		
15	23	29	39	39	51			61		
20	28	34	46	-	61			-		
25	35	41	53	53	71			82		
32	43	49	61	-	82			-		
40	50	56	68	68	92			103		
50	61	70	86	86	107			113	119	
65	77	86	102	106	127			137	143	
80	90	99	115	119	142			148	154	
100	115	127	143	147	162	168		174	180	
125	140	152	172	176	192	194		210	217	
150	167	179	199	203	217	224		247	257	
200	216	228	248	252	272	284	290	309	324	
250	267	279	303	307	327	340	352	364	391	388
300	318	330	354	358	377	400	417	424	458	458
350	360	376	400	404	437	457	474	486	512	
400	410	422	450	456	488	514	546	543	572	
500	510	522	550	556	593	624	628	657	704	
600	610	622	650	656	695	731	747	764	813	
700	710	722	756	762	810	833	852	879	950	
800	810	830	864	870	917	942	974	988		
900	910	930	964	970	1017	1042	1084	1108		
1000	1010	1030	1074	1080	1124	1154	1194			