


Norma DIN

Pre príruby s hladkou tesniacou lištou podľa DIN, typy Spiratrem 12, Spiratrem 123



PN	d_1		d_3		d_4								
	10-320	10-320	10-40	64-320	10	16	25	40	64	100	160	250	320
DN 10	18	24	36	36	46	46	46	46	56	56	56	67	67
15	22	28	40	40	51	51	51	51	61	61	61	72	72
20	27	33	47	47	61	61	61	61	-	-	-	-	-
25	34	40	54	54	71	71	71	71	82	82	82	83	92
32	43	49	65	65	82	82	82	82	-	-	-	-	-
40	48	54	70	70	92	92	92	92	103	103	103	109	119
50	57	66	84	84	107	107	107	107	113	119	119	124	134
65	73	82	102	104	127	127	127	127	137	143	143	153	170
80	86	95	115	119	142	142	142	142	148	154	154	170	190
100	108	120	140	144	162	162	168	168	174	180	180	202	229
125	134	146	168	172	192	192	194	194	210	217	217	242	274
150	162	174	196	200	217	217	224	224	247	257	257	284	311
175	183	195	221	227	247	247	254	265	277	287	284	316	358
200	213	225	251	257	272	272	284	290	309	324	324	358	398
250	267	279	307	315	327	328	340	352	364	391	388	442	488
300	318	330	358	366	377	383	400	417	424	458	458	538	-
350	363	375	405	413	437	443	457	474	486	512	-	-	-
400	414	426	458	466	488	495	514	546	543	572	-	-	-
500	518	530	566	574	593	617	624	628	657	704	-	-	-
600	618	630	666	674	695	734	731	747	764	813	-	-	-
700	718	730	770	778	810	804	833	852	879	950	-	-	-
800	818	830	874	882	917	911	942	974	988	-	-	-	-

www.wittex.sk

WITTEX plus, s.r.o
Piešťanská 87
922 07 Veľké Kostol'any, okr. Piešťany

tel.: +421 33 7719 074, +421 33 7719 075
+421 33 7719 030, +421 33 7719 031
fax: +421 33 7781 304 e-mail: predaj@wittex.sk